



DETAIL



PROFILES



SEAMLESS




CONCRETE



SPECIALIST



TRIMLESS



ACOUSTIC



WOOD

---

OCTOBER 2021

---

**inox**  
LIGHTING  
INNOVATORS



## Welcome to **Inox Technical Lighting**

At Inox, we offer technically advanced and considered lighting solutions.

For our designer clients, our task is to find interesting, innovative and often groundbreaking products to assist in bringing a lighting concept to life.

For purchasers, our experienced team helps to solve budgeting problems by providing credible value engineering.

Our supplier partners in Europe, USA and South Korea provide us with a vast array of innovative products, covering all aspects of lighting suitable for all project types.

Within this catalogue, we present an overview of some of our favourite products from these suppliers.

Technology is forever improving, as is our product range, so for the latest product and technical information, please contact us.

**Inox - Lighting Innovators.**





### Highly configurable colour-toning linear LED system - now spot free for continuous seamless effect

- Easily installed, concealable linear lighting
- Two systems, offering 2700K to 6000K or 2200K to 4000K
- 1700 lumens per metre

When designing interiors, it is important to understand how lighting can affect and influence one's mood in everyday life and how we can harness this to optimise work, study, hospitality and healthcare environments. Toning the colour of white light between the warm and cool ends of the spectrum enable us to match our environment to the natural rhythms of the day. Available in varying lengths, Diva Dual is an ideal way to improve the ambience of spaces lacking in natural light. Plug and play toolless assembly allows for speedy installation.



DDPRO  
15 x 14 x 140/280/560/838/111mm



DDPRO  
15 x 14 x 140/280/560/838/111mm



6000K ← → 2700K




### Monorail super slim LED for speedy installation & maximum flexibility in linear lighting

- 'Plug'n'Play' system for simplest application and flexibility
- Available in 1000lm or 1700lm per linear metre
- Monorail Spot in 1W or 3W, 15°, 25°, 30°, 45° and 60°
- Monorail rail can be used as DC 'busbar' to feed other 24V light fittings

Easy to install, flexible linear lighting system allowing for very long runs from the same driver connections. Ideal for shop fit-outs, exhibitions and flexible office spaces, the linear modules come in a range of lengths, colours and outputs and can be fitted to the track at any point to suit the finished installation. Additionally, the rail may be used as a 'busbar' to feed power to other 24V DC lighting equipment.




MONORAILPRO  
15.6 x 17mm  
95mm / 286mm / 572mm




MONORAILSPOT  
TILT, SWIVEL & SLIDE


MONORAIL



CONTINUOUS INSTALLATION



SPACED TO MAXIMISE RUN LENGTH



LUMINAIRE MODULE ACTS AS LINK




90° CONNECTOR




MONORAIL AS 24V BUSBAR






STRONG MAGNET



DIRECT CONNECTION



DIMMING TOUCH SENSOR



90° CONNECTION



INTERNAL CONNECTION



SURFACE, RECESSED OR TRIMLESS EXTRUSION OPTIONS

### Monorail comes out of hiding

- Surface, recessed, trimless recessed and suspended profiles for Monorail
- Magnetic fixing system
- Spot-free illumination
- Tunable white option
- Touch-dimming option to spotlights

Monorail 2 adds surface, recessed, trimless and suspended profile options to the Monorail family.


Cool/warm tunable white dimming is now available as an option and Monorail Spot modules are available with touch-dimming sensors.

Vertical and horizontal illuminated corners allow for fully seamless installations

Profiles in black or white.



MONORAIL2  
(SHOWN WITH OPTIONAL SPOT)  
3W, 97MM / 4W, 145MM / 8W, 288MM



360° ROTATING PENDANT



360° ROTATING SHOWCASE ARM

### NDPro Showcase Arm & Pendant

- Professional accessory systems for Diva NDPro
- Showcase Arm for display lighting
- Pendant housing in various lengths

New accessories to enhance the versatility of the NDPro seamless 'plug and play' linear system.

Compact 15mm square section profile in various lengths.





### Extremely compact track system

- Surface, recessed and trimless versions
- Shallow and deep profiles
- 24V or 48V DC system
- DALI dimming


Mini magnetic track is a highly versatile compact track system running on 24V or 48V DC power.

Linear modules and projectors in various styles, available in black or white.

Range of outputs and light colours.

Professional standard projectors with RA>90, range of optics and accessories, individually DALI addressable for versatile control.

Suitable for use in shops, galleries, museums, restaurants and homes.




### FLXible Neon

- Flexible LED system with spot-free appearance
- Front bend and side bend versions
- Indoor and outdoor use
- Now with Tunable White light option

FLXible Neon Flex system is the latest development in low-glare linear LED lighting. Suitable for indoor and outdoor use, there are versions that bend forwards and sideways. Available in fixed colours 2700K-5000k and Tuneable White 2200K-4000K, 12w/m, up to 510lm/m, IP67. FLXible Neon comes in 5M reels and may be cut to fit on site.







## Shape inventing system

- **Compact and versatile system**
- **Be creative in three dimensions**

Versatile extruded profile that enables infinite shapes. The linear LED lightsource, screened by a flexible silicone diffuser, creates seamless lighting effects. Integrated projectors and orientable miniature spotlights enhance the versatility of the system. Standard wall, ceiling and freestanding luminaires complete the family.



Light emits from two sides






## Aluminium profiles

At Inox, we pride ourselves on having 'a profile for every application'.

With an extensive range of recessed, surface, suspended direct, suspended direct/indirect housings, lightsources, louvre/diffuser materials and finishes, we truly believe that we can achieve exactly what the client is looking for.

All systems are available with a choice of dimming systems and light colours, medium or high output LEDs and integrated emergency lighting.




## Recessed

- Wide range of profiles for easy installation
- 3180lm/m standard and 4700lm/m high output
- 70% efficient

Recessed profiles come in a range of styles; trimmed, trimless and open slot - plus options of lightsources, finishes and controls.




W178x230mm  
SKYLINK ALEDA



W82x89mm  
NOTUS 3 STATUS LINEAR LED IP44



W27x60mm  
LEVA TRIMLESS RECESSED 15



W46x62mm

NOTUS 25 TRIMLESS B



W81x106mm

NOTUS 15



W68mm or 138mm visible

GUIDE SLOT



W40x61mm

FILE RECESSED





## Suspended direct/indirect

- Create bright, airy spaces
- Flexible switching of direct/indirect and accent elements
- Output up to 4700lm/m up and down

Indirect lighting opens up a space providing a bright, airy ambiance. Lit ceilings reduce contrast in offices and allow for ceiling features to be displayed to their best effect.

Direct/indirect systems are an efficient way to provide these benefits, as the direct element provides the required task lighting where it is needed.

Downlights and projectors may be added for accent lighting. Multi circuit wiring allows for different elements to be controlled individually by switching or dimming.

Direct/indirect profiles are available in a range of styles and finishes.

W48x104mm



NOTUS 17 UP DOWN

W40x120mm



FILE H MICROPRISM LOW UGR

W29x50mm



COMIS 12

W50x29mm Ø800/1000/1200mm



COMIS 12 RING

W52x91mm



LUCKY EVO B



## Surface / Suspended

- All profiles cut to suit
- Custom corners to follow corridors and enhance architectural detail
- Combine with spotlights and/or downlights for point of sale
- Available in a range of finishes

Surface and suspended direct systems offer great flexibility. LED light sources allow profiles to be manufactured in increments of 300mm or more to fit to a space. Fixed corners and curves allow profiles to follow the sweep and flow of a space. For applications such as galleries and point of sale displays, direct downlights and directional projectors may be added. New finishes for 2020 include copper, gold, marble and various stone textures.

70x80mm



NOVITAS 3

W31x31mm



NOVALUX P30

W180x42mm



LINEAR LIGHT 5 SYSTEM

W40x66mm



FILE MICROPRISM LOW UGR

W54x67mm




NOTUS 16 LINEAR LED STONE






CUSTOMISABLE MULTILINE 111SC



COMIS 5X SP



COMIS RING



NOTUS 1 PL LINEAR



COMIS 12 RING



MULTILINE 111E OVAL

## Surface & suspended shapes

- **Get creative with your space**
- **Follow sweep and flow of building architecture**
- **No longer tied to the form of the fluorescent lamp, exciting possibilities open up for the designer**

Go beyond our standard range of linear profiles with these feature luminaires in a variety of shapes, sizes and colours for ceiling, wall and pendant mounting. The ability to create curved extrusions in various lengths and radii opens up new possibilities for bespoke lighting installations.




NOTUS 16 SQUARE LINEAR LED




NOTUS 5 SQUARE DOUBLE SATIN



COMIS 10 8 FLEX



FUGA 2 CURVE



FUGA TRIANGLE



COMIS 12 RING



MULTILINE 111E OVAL






### Simple and elegant continuous lighting

- Great flexibility
- Choice of outputs
- Direct, indirect and direct/indirect options
- Easy to install
- Unlimited system lengths

Whilst most of our surface and suspended profiles are available in wall-mounted versions, these simple and elegant profiles are designed specifically to provide seamless continuous wall-mounted lighting.

A range of styles, sizes, finishes and outputs is offered. Systems can be constructed in any length and some include internal and external corners, allowing the feature to frame a room or follow the flow of a corridor. All are simple to install and represent excellent value.



NOTUS 12 WALL




FLIK FLOK



COMIS 4



VELA




PROFILO-T




### Leva: modular cells

- High contrast low glare downlight
- Easily integrated into our linear profile systems
- Full range of optics

From micro fittings to full modular systems, our range of specialist downlights push the limits of what can be achieved by a conventional downlight. Highlighting for detail to powerful outputs and impressive UGR ratings, our selection has complete flexibility with a large range of optics, filters, colours and styles to achieve the exact lighting solution required.



EACH LENS UNIT 32x36mm







## Projectors for museums & galleries

- Precision optics
- Aim and lock
- Highly controllable

This range of projectors was developed specifically for the demanding task of display lighting in museums and galleries. Exceptional light quality (RA97, R9>90), precise beams, locking mechanisms, local potentiometers, phase and DALI dimming make these the perfect tools for the lighting designer.



SYCLOSPOT



SYCLOP



ILYAD W



ILYAD S



INFYNIS / INFYNIS 3R



MOOVEO / MOOVEO HR



DELTALINE 1R



## Production & event lighting in miniature

- Remarkably compact size
- Precision spots and gobo projectors
- DMX control
- Dedicated smartphone app
- IP65 rated - suitable for indoor and outdoor use

Precision, Gantom and Storm are families of miniature precision projectors ideal for use in theatrical productions, events and attractions and for detailed architectural lighting.

The range includes gobo projectors, DMX controlled colour changing projectors with up to seven primary colours and pinspots. Operating on 12V DC they may be battery powered when no mains power is available.



STORM DMX FLOOD 4W



7 COLOUR DMX SPOT



IQ / IQX 3W



PRECISION Z SPOT / FLOOD 1W



PRECISON DMX 3W



STORM FORM 9W



DMX SPOT / FLOOD 4W



ONE / ONE DMX 4W



PRECISION ALPHA 1W



PRECISION Z DMX SPOT / FLOOD 1W



STORM Z SPOT / FLOOD 1W






## Conductive plasterboard

- 'Live wall' system uniquely fabricated from plasterboard
- Ideal for highlighting detail and accentuating architecture

Our unique conductive plasterboard system, Dipline, is another ground breaking product. Miniature lamp modules simply push into the board, allowing total flexibility and, unlike fibre-optic embedded light systems, the ability to simply reconfigure the design at will.

The system works entirely on isolated extra low voltage and so is inherently safe.



MINI AVOLO A SP 5F



MINI AVOLO TABLE



MINI AVOLO WALL



AVOLO SP 2F



BALLA OVAL & BALLA CUT



AVOLO M A 3 WALL 2F





AVOLO M A 1 SP 3F



AVOLO M A 2 FLOOR 2F





## The devil is in the detail

- Aluminium and aluminium/plasterboard micro-profile systems
- Ideal for highlighting detail and architecture


Our micro profile systems represent the ultimate in integration of lighting into the fabric of a building.

Aluminium profiles include formed shadow gaps, inside corners, outside corners and straight runs for ceilings, walls and floors.


Our unique 'Cartoon Light' system integrates the profiles directly into plasterboard panels to ensure a clean finish without filling around the housing.




PRE-FABRICATED SHADOW GAPS




DIFFUSER




12.5MM PLASTERBOARD




B1, B2, B3, B4



L-09 (9MM WIDTH LED STRIP)



L-16 (16MM WIDTH LED STRIP)



L-33 (33MM WIDTH LED STRIP)






Recessed downlights

- High performance LED downlights for all applications

Inox offers a vast range of recessed downlights in trimmed and trimless styles, including round, square and multiple configurations, low glare, fixed and orientable. All offer choices of output, beam width, light colour and rendering with the common led benefits of low energy use, reduced maintenance and long service life.



NOVUS IN BOX 1x HP LED



NOVUS IN BOX 2x HP LED



NOVUS IN BOX 3x HP LED




TALUS 1F PENDO M 1R SS LED



TALUS 2F PENDO M 1R SS LED




TALUS 3F PENDO M 1R SS LED



MINOR S 1F SS LED



MINOR S 2F SS LED



ORBIS STATUS 1F



ORBIS STATUS 2F



ORBIS STATUS 3F



MINOR S 3F SS LED



NOVUS IN BOX 5x HP LED



NOVUS IN BOX 7x HP LED




Recessed luminaires in special materials

- The ultimate in seamless lighting integration

Our plaster and ceramic seamless recessed luminaires offer the ultimate minimal lighting solution. The ceramic or plaster housing is installed and finished as part of the ceiling or wall. High performance LED lamp modules and strips are installed at final fix for the most discrete lighting effect.



PLANUS 9 2F



CODEX 3



PLANUS 6




PLANUS 7




PLANUS 8 2F




MAX PLANUS 10 SS LED



CODEX 10



PLANUS 12



PLANUS V





## High power downlights

- Outputs up to 6,800lm
- Efficacies up to 179 lm/W

High output downlights for display lighting, high ceilings and, inaccessible areas in a range of styles, including trimmed and trimless, round and rectangular, fixed and orientable. All offer choices of output, beam width, light colour and rendering with the common LED benefits of low energy use, reduced maintenance and long service life.



FLUXUS L-T LED



ANULUS SQUARE 1F SS LED



MITTO 2 SS LED



MAX MOBILIS SS LED



FRAME



FLUXUS L



HONOR L WHITE OPTIC LEV



PENDO 8R SS LED



MAX ARTUS SQUARE SS LED



MAX CARBO SQUARE



## Projectors for shops, restaurants, museums & galleries

Our high output projectors are perfect for display lighting in shops and galleries.

These highly efficient projectors offer choices of output, beam width, light colour and rendering. In common with all LED luminaires, they offer energy savings, controllability, reduced maintenance and long service life.



UBER 2 Q ADTR SS LED



UBER 2 Q SS LED



UBER 1 SS LED



UBER 1 TR SS LED



UBER 1 Q F SS LED



VINCO A ADTR SS LED




VINCO M A ADTR SS LED



PENDO 1R A ADTR LED



PENDO M 1R TR3 B SS LED



LEVA 5+5





## 12/24V hub systems for indoors & outdoors

- Versatile 'Hub & Swag' lighting systems
- Safe extra low voltage and LED systems
- Large range of pendant styles in glass, ceramic and plated metal

The Radialle hub is an extra low voltage system based around a central element containing a safety isolated low voltage transformer. From this 'hub', various plait-like cables, which power and support the lighting bodies, may be spread in any direction. A wide range of compact pendants in glass, ceramic and metal may be used in any combination.

The new 'Universo' LED Radialle system allow new forms of luminaire to be produced and has the benefits of running at a lower wattage allowing more lamps per transformer and extended LED lamp life.

Universo Outdoor system creates new possibilities for garden and landscape lighting.



BUCANEVE COTTO



PATATA COTTO



LILIUM



DIATOMEA



RONDINI



UFO



PLUTONE



BUCANEVE



CARAMELLE



STELLINA



## Amazing acoustic baffle light fittings

- A single solution to both sound and lighting issues
- Beautiful range of various colours and styles to choose from

A beautiful collaboration of state-of-the-art LED technology and premium acoustic absorption foam, our acoustic light fittings are the perfect solution in all areas of lighting and noise control; open-plan offices, auditoriums, restaurants, hotels and classrooms. When standard styles don't suit the project, bespoke designs are possible.



CHERRY



COLETTA



CUP




INDUSTRY




WAVE





FORTIS Q SQUARE LED



MINI TERES 1 GROUND BRASS HP LED



PORTO 6 BRASS DIGITUS



SEVEN BOLLARD

## Lighting up the urban landscape

These collections combine tradition with innovation.

Lighting fixtures of simple and classical style with a modern twist create a timeless aesthetic making these series suitable for all kinds of urban environments, such as town centres, gardens, parks, squares and streets or roundabouts, to illuminate and decorate at the same time.

They 'bring to light' historical and contemporary architectural scenarios.



VISO 2



LISA



STONE 180



STONE 90




STONE APPLIQUE



I-PIPENDI



COPIA WALL DZ



MANINE 90° VERTICAL



MANINE 270° VERTICAL





## The language of architecture

- Concrete composite material is 80% lighter than concrete
- Statement lighting objects
- Brutalist design & architecture
- Entire range consisting of benches, pendants, bollards & more

A collection of fittings combining brutalist design with the latest in lighting technology. Made of a composite concrete fibre material that is 80% lighter than solid concrete, all fittings are available with a textured or polished surface finish. The range includes pendants, benches, wall and ceiling luminaires and more, suitable for indoor or outdoor usage.

80x120x250mm



BRIQUE O

1500x450mm



PANCA

Std: Ø120x180mm  
Small: Ø80x450mm



2B02 SUSPENDED

250mm high x 100 x 300mm



CENTO3CENTO

450x450mm




PANCHETTO

150mm high x 700/1000/1300



ZERO 51 HANGING





WALNUT

OAK



ASH

BIRCH



BLACK

WHITE



## Amazing natural lighting

- Sleek, natural designs in real wood
- Easy to use, touch sensitive switches
- Latest LED & OLED technology
- Best quality wood, certified to support responsible forest management

Innovative lighting solutions that combine wood with the latest in LED lighting technology. Our aim is to design aesthetic and timeless lighting experiences for long-lasting enjoyment.

Handcrafted for the perfect finish. We use wood that is hand-picked to ensure the best possible quality, and certified to support responsible forest management.


Our lighting solutions are designed and handmade with love at the workshop in Järvenpää, Finland.



SWAN WALL &amp; PENDANT





LED8 WITH PHONE ON CHARGE



CUBE





## Unique illuminated glass mosaics

- Modular or totally bespoke
- 19cm diameter hand formed glass pieces in a variety of organic shapes
- 78 transparent & opaque colours
- Integrated LED lightsources
- Stainless steel or brass mounting frame

Modular artisan glass system with endless design possibilities.

The composition of the artisan glass pieces and their colours combined with integrated light make each glass mosaic unique.

They can be installed on any wall or ceiling. With a custom built mounting structure they can be installed in virtually any area.

Give us an idea and a space and we can design a totally unique and breathtaking illuminated glass installation.



MODULAR: DUNA



MODULAR: LOTO



MODULAR: HIEDRA



MODULAR: PETALO





## High quality lay-in luminaires with excellent glare control

- Class leading glare control
- Excellent light quality
- High efficiency

At Inox, we understand that the requirements for good office lighting go further than a simple lumens for pound calculation. We work with leading manufacturers to bring you class leading office lighting offering low glare, high light quality, high efficiency and class-leading warranties.

Our in-house engineers can select the ideal luminaire and design the optimum layout for your project.



LR22



IQWK



TRC




EUROLED



DUET MODULE



RECESSED MODULE



## Control systems for all applications


No lighting design is complete without a control system to set moods and maximise efficiency.

Inox works with leading manufacturers like Mode and Rako to offer comprehensive controls solutions.

Our own Feelmaster system uses WiFi and Zigbee protocols to provide wireless control solutions, perfect for sites where additional wiring cannot be run.











CONDUCTIVE



PENDANTS



600x600




HUB SYSTEMS



SPECIALIST



EXTERIOR



FLEXIBLE



GLASS

**inox**  
LIGHTING  
INNOVATORS

Unit 22 Brookside Centre  
Sumpters Way  
Southend-on-Sea SS2 5RR  
t +44(0)1702 468165  
e sales@inox.co.uk  
w inox.co.uk